Volume 45, 1996

Plant Pathology

An international journal edited by the
British Society for Plant Pathology

Senior Editor
R. Johnson

Volume Contents

b
Blackwell
Science

ISSN 0032-0862
CODEN PLPAAD

Published by Blackwell Science Ltd
Typeset and printed in Great Britain by
Alden, Oxford, Didcot and Northampton

©1996 British Society for Plant Pathology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the British Society for Plant Pathology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $11.50 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Senior Editor. 0032-0862/96 $11.50.

The Blackwell Science logo is a trade mark of Blackwell Science Ltd registered at the United Kingdom Trade Marks Registry.

Editorial Offices:
23 Ainslie Place, Edinburgh EH3 6AJ
25 St John Street, London WC1N 2BL
Osney Mead, Oxford OX2 0EL
54 University Street, Carlton South, Victoria 3053, Australia
Arnette-Blackwell SA, 224 Boulevard St Germain, 75007 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
238 Main Street, Cambridge, MA 02142, USA

ISSN 0032-0862

Contents

NUMBER 1 FEBRUARY

1 **British Society for Plant Pathology Presidential Address 1994**
C. E. Caten. The mutable and treacherous tribe revisited
13 *R. E. Boulton.* Pea early-browning Tobravirus
29 *D. A. Kendall, S. George and B. D. Smith.* Occurrence of barley yellow dwarf viruses in some common grasses (Gramineae) in south west England
38 *M. Luis-Arteaga, F. García-Arenal and E. Rodríguez-Cerezo.* Characterization of a strain of clover yellow vein potyvirus infecting borage (*Borago officinalis* L.) in Spain
45 *C. Fagoaga and N. Duran-Vila.* Naturally occurring variants of citrus exocortis viroid in vegetable crops
54 *M. Bashir and R. O. Hampton.* Detection and identification of seed-borne viruses from cowpea (*Vigna unguiculata* (L.) Walp.) germplasm
59 *E. G. A. Linders, J. M. M. Van Damme and J. C. Zadoks.* Transmission and overseasoning of *Diaporthe adunca* on *Plantago lanceolata*
70 *E. G. A. Linders, J. M. M. Van Damme and J. C. Zadoks.* Epidemics of *Diaporthe adunca* in experimental and in natural populations of *Plantago lanceolata* and the effect of partial resistance on disease development
84 *E. N. Okey, E. J. Duncan, G. Sirju-Charran and T. N. Sreenivasan.* Factors affecting the susceptibility of six cocoa clones to *Phytophthora palmivora* (Butl.) Butler bark canker in Trinidad
92 *E. Fallik, S. Grinberg, M. Gambourg, J. D. Klein and S. Lurie.* Prestorage heat treatment reduces pathogenicity of *Penicillium expansum* in apple fruit
98 *Y. Ben-Yephet, M. Reuven, A. Zviebil and D. Shtienberg.* Effects of abiotic variables on the response of carnation cultivars to *Fusarium oxysporum* f.sp. *dianthi*
106 *D. C. Harris and J. R. Yang.* The relationship between the amount of *Verticullium dahliae* in soil and the incidence of strawberry wilt as a basis for disease risk prediction
115 *B. K. Amoah, M. V. MacDonald, N. Rezanoor and P. Nicholson.* The use of the random amplified polymorphic DNA technique to identify mating groups in the *Fusarium* section *Liseola*
126 *T. Yli-Mattila, S. Paavanen, A. Hannukkala, P. Parikka, R. Tahvonen and R. Karjalainen.* Isozyme and RAPD-PCR analyses of *Fusarium avenaceum* strains from Finland
135 *P. Halama.* The occurrence of *Mycosphaerella graminicola*, teleomorph of *Septoria tritici* in France
139 *M. Sbaghi, P. Jeandet, R. Bessis and P. Leroux.* Degradation of stilbene-type phytoalexins in relation to the pathogenicity of *Botrytis cinerea* to grapevines
145 *R. B. Muse, H. A. Collin, S. Isaac and K. Hardwick.* Effects of the fungus Crinipellis perniciosa, causal agent of witches' broom disease, on cell and tissue cultures of cocoa (*Theobroma cacao* L.)
155 *E. Floris and J. M. Alvarez.* Nature of resistance of seven melon lines to *Sphaerotheca fuliginea*
161 Notes for contributors

NUMBER 2 APRIL

163 **Letter to the Editor:** *X.-M. Xu.* On estimating non-linear response of fungal development under fluctuating temperatures
172 *G. J. Gibson and E. J. Austin.* Fitting and testing spatio-temporal stochastic models with application in plant epidemiology
185 *S. Olsson.* Inoculum potential of *Pythium arrhenomanes* in soils from three crop rotation experiments
192 *L. Mol, O. C. Huisman, K. Scholte and P. C. Struik.* Theoretical approach to the dynamics of the inoculum density of *Verticillium dahliae* in the soil: first test of a simple model
205 *L. Mol, J. M. Van Halteren, K. Scholte and P. C. Struik.* Effects of crop species, crop cultivars and isolates of *Verticillium dahliae* on the population of microsclerotia in the soil, and consequences for crop yield
215 *C. C. Mundt, L. S. Brophy and S. C. Kolar.* Effect of genotype unit number and spatial arrangement on severity of yellow rust in wheat cultivar mixtures
223 *M. L. Hahn, J.-L. Sarah, M. Boisseau, N. J. Vines, D. J. Wright and P. R. Burrows.* Reproductive fitness and pathogenicity of selected *Radopholus* populations on two banana cultivars
232 *C. A. Gilligan, S. A. Simons and G. A. Hide.* Inoculum density and spatial pattern of *Rhizoctonia solani* in field plots of *Solanum tuberosum*: effects of cropping frequency
245 *P. J. Reed, J. S. W. Dickens and T. M. O'Neill.* Occurrence of anthracnose (*Colletotrichum acutatum*) on ornamental lupin in the United Kingdom
249 *N. J. Bradshaw and T. B. Vaughan.* The effect of phenylamide fungicides on the control of potato late-blight (*Phytophthora infestans*) in England and Wales from 1978 to 1992
270 *B. Robbertse, G. Holz and P. W. Crous.* Sensitivity of South African *Ramulispora herpotrichoides* isolates to carbendazim and ergosterol biosynthesis inhibitors
276 *M. A. Eden, R. A. Hill and A. Stewart.* Biological control of *Botrytis* stem infection of greenhouse tomatoes

285 *P. T. W. Wong, J. A. Mead and M. P. Holley.* Enhanced field control of wheat take-all using cold tolerant isolates of *Gaeumannomyces graminis* var. *graminis* and *Phialophora* sp. (lobed hyphopodia)
294 *A. B. Estrada, P. Jeffries and J. C. Dodd.* Field evaluation of a predictive model to control anthracnose disease of mango in the Philippines
302 *P. H. Smith, E. M. Foster, L. A. Boyd and J. K. M. Brown.* The early development of *Erysiphe pisi* on *Pisum sativum* L.
310 *P. Castillo, J. L. Trapero-Casas and R. M. Jimenez-Diaz.* The effect of temperature on hatching and penetration of chickpea roots by *Pratylenchus thornei*
316 *V. Vassilev, P. Lavermicocca, D. Di Giorgio and N. S. Iacobellis.* Production of syringomycins and syringopeptins by *Pseudomonas syringae* pv. *atrofaciens*
323 *J. R. Eason, R. O. Morris and P. E. Jameson.* The relationship between virulence and cytokinin production by *Rhodococcus fascians* (Tilford 1936) Goodfellow 1984
332 *G. L. Hartman and J. B. Sinclair.* Red leaf blotch (*Dactuliochaeta glycines*) of soybeans (*Glycine max*) and its relationship to yield
344 *W. H. P. Boshoff, W. J. Swart, Z. A. Pretorius, M. M. Liebenberg and P. W. Crous.* Isozyme variability among isolates of *Phaeoisariopsis griseola* in southern Africa
350 *J. M. Young, D. S. Jones and M. Gillings.* Relationships between populations of *Pseudomonas syringae* pv. *perisicae* determined by restriction fragment analysis
358 *A. M. Alvarez, S. Schenck and A. A. Benedict.* Differentiation of *Xanthomonas albilineans* strains with monoclonal antibody reaction patterns and DNA fingerprints
367 *J. Aramburu, J. Riudavets, J. Arno, A. Laviña and E. Moriones.* Rapid serological detection of tomato spotted wilt virus in individual thrips by squash-blot assay for use in epidemiological studies
375 *J. A. Sánchez-Navarro, E. A. Cano and V. Pallás.* Non-radioactive molecular hybridization detection of carnation mottle virus in infected carnations and its comparison to serological and biological techniques
383 *D. W. Parry and P. Nicholson.* Development of a PCR assay to detect *Fusarium poae* in wheat

NUMBER 3 JUNE

393 *J. K. Bowen, J. Peart, B. G. Lewis, C. Cooper and P. Matthews.* Development of monoclonal antibodies against the fungi of the 'Ascochyta complex'
407 *R. R. Stange, D. Jeffares, C. Young, D. B. Scott, J. R. Eason and P. E. Jameson.* PCR amplification of the *fas-1* gene for the detection of virulent strains of *Rhodococcus fascians*
418 *M. R. Hajimorad, A. Kheyr-Pour, V. Alavi, A. Ahoonmanesh, M. Bahar, M. A. Rezaian and B. Gronenborn.* Identification of whitefly transmitted tomato yellow leaf curl geminivirus from Iran and a survey of its distribution with molecular probes
426 *A. Somé, and R. Samson.* Isoenzyme diversity in *Xanthomonas campestris* pv. *mangiferaeindicae*
432 *A. Somé, M. J. Manzanares, F. Laurens, F. Baron, G. Thomas and F. Rouxel.* Variation for virulence on *Brassica napus* L. amongst *Plasmodiophora brassicae* collections from France and derived single-spore isolates
440 *C. Lannou and C. C. Mundt.* Evolution of a pathogen population in host mixtures: simple race-complex race competition
454 *V. Caffier, T. Hoffstadt, M. Leconte and C. De Vallavieille-Pope.* Seasonal changes in pathotype complexity in French populations of barley powdery mildew
469 *J. D. Taylor, D. M. Teverson, D. J. Allen and M. A. Pastor-Corrales.* Identification and origin of races of *Psuedomanas syringae* pv. *phaseolicola* from Africa and other bean growing areas
479 *J. D. Taylor, D. M. Teverson and J. H. C. Davis.* Sources of resistance to *Pseudomonas syringae* pv. *phaseolicola* races in *Phaseolus vulgaris*
486 *J. J. H. M. Allefs, W. Van Dooijeweert, W. Prummel, L. C. P. Keizer and J. Hoogendoorn.* Components of partial resistance to potato blackleg caused by pectolytic *Erwinia carotovora* subsp. *atroseptica* and *E. chrysanthemi*
497 *R. Raposo, J. Delcan, V. Gomez and P. Melgarejo.* Distribution of fitness of isolates of *Botrytis cinerea* with multiple fungicide resistance in Spanish greenhouses
506 *L. Huber, B. D. L. Fitt and H. A. McCartney.* The incorporation of pathogen spores into rain-splash droplets: a modelling approach
518 *C. Roger and B. Tivoli.* Spatio-temporal development of pycnidia and perithecia and dissemination of spores of *Mycosphaerella pinodes* on pea (*Pisum sativum*)
529 *I. Vloutoglou, B. D. L. Fitt and J. A. Lucas.* Germination of *Alternaria linicola* conidia on linseed: effects of temperature, incubation time, leaf wetness and light regime
540 *N. Labuschagne and J. M. Kotzé.* Control of groundnut blackhull and its causal fungus *Chalara elegans* with fungicides
547 *A. Yordanova, A. Karparov, E. Stoimenova and M. Starcheva.* Antiphytoviral activity of 1-morpholinomethyl-tetrahydro-2(1H)-pyrimidinone (DD13)
552 *J. Z. McHenry, J. T. Christeller, E. A. Slade and W. A. Laing.* The major extracellular proteinases of the silverleaf fungus, Chondrostereum purpureum, are metalloproteinases

564 *D. Di Giorgio, L. Camoni, K. A. Mott, J. Y. Takemoto and A. Ballio.* Syringopeptins, Pseudomonas *syringae* pv. *syringae* phytotoxins, resemble syringomycin in closing stomata
572 *D. A. Shah-Smith and R. G. Burns.* Biological control of damping-off of sugar beet by *Pseudomonas putida* applied to seed pellets
583 *D. R. Burgess and G. Hepworth.* Biocontrol of sclerotinia stem rot (Sclerotinia minor) in sunflower by seed treatment with Gliocladium virens
593 *J. A. Kirkegard, P. T. W. Wong and J. M. Desmarchelier. In*-vitro suppression of fungal root pathogens of cereals by *Brassica* tissues
604 Book reviews

NUMBER 4 **AUGUST**

609 *L. Bernier, D. Yang, G. B. Ouellette and M. Dessureault.* Assessment of *Phaeotheca dimorphospora* for biological control of the Dutch elm disease pathogens, *Ophiostoma ulmi* and *O. novo-ulmi*
618 *C. E. Carver, D. Pitt and D. J. Rhodes.* Aetiology and biological control of Fusarium wilt of pinks (*Dianthus caryophyllus*) using *Trichoderma aureoviride*
631 *T. Hijwegen, M. A. Verhaar and J. C. Zadoks.* Resistance to *Sphaerotheca pannosa* in roses induced by 2,6-dichloroisonicotinic acid
636 *A. J. G. Engels, B. C. Mantel and M. A. De Waard.* Effect of split applications of fenpropimorph-containing fungicides on sensitivity of *Erysiphe graminis* f.sp. *tritici*
644 *E. Fallik, S. Grinberg, S. Alkalai and S. Lurie.* The effectiveness of postharvest hot water dipping on the control of grey and black moulds in sweet red pepper (*Capsicum annuum*)
650 *S. Sreenivasaprasad, K. Sharada, A. E. Brown and P. R. Mills.* PCR-based detection of *Colletotrichum acutatum* on strawberry
656 *T. Katan, A. Gamliel and J. Katan.* Vegetative compatibility of *Fusarium oxysporum* from sweet basil in Israel
662 *S. A. Hugo, C. M. Henry and V. Harju.* The role of alternative hosts of *Polymyxa betae* in transmission of beet necrotic yellow vein virus (BNYVV) in England
667 *S. B. Calvero Jr, S. M. Coakley and P. S. Teng.* Development of empirical forecasting models for rice blast based on weather factors
679 *M. H. Pei, D. J. Royle and T. Hunter.* Pathogenic specialization in *Melampsora epitea* var. *epitea* on *Salix*
691 *C. Damgaard and H. Giese.* Genetic variation in Danish populations of *Erysiphe graminis* f.sp. *hordei*: estimation of gene diversity and effective population size using RFLP data
697 *E. G. A. Linders.* A possible role of sexuality in the population structure of *Diaporthe adunca*, a pathogen of *Plantago lanceolata*
710 *A. C. Wallenhammar.* Prevalence of *Plasmodiophora brassicae* in a spring oilseed rape growing area in central Sweden and factors influencing soil infestation levels
720 *P. Prior, S. Bart, S. Leclercq, A. Darrasse and G. Anais.* Resistance to bacterial wilt in tomato as discerned by spread of *Pseudomonas* (*Burholderia*) *solanacearum* in the stem tissues
727 *K. A. El-Tarabily, G. E. St. J. Hardy and K. Sivasithamparam.* Association of *Pythium coloratum* and *Pythium sulcatum* with cavity spot disease of carrots in Western Australia
736 *H. El Attari, A. Sarrafi, A. Alizadeh, G. Dechamp-Guillaume and G. Barrault.* Genetic analysis of partial resistance to bacterial leaf streak (*Xanthomonas campestris*) in wheat
742 *N. McRoberts and J. H. Lennard.* Pathogen behaviour and plant cell reactions in interactions between *Alternaria* species and leaves of host and nonhost plants
753 *M. Mari, R. Iori, O. Leoni and A. Marchi.* Bioassays of glucosinolate-derived isothiocyanates against postharvest pear pathogens
761 *C. Soria, A. I. L. Sese and M. L. Gómez-Guillamón.* Resistance mechanisms of *Cucumis melo* var. *agrestis* against *Trialeurodes vaporariorum* and their use to control a closterovirus that causes a yellowing disease of melon
767 *A. W. Wangai and K. R. Bock.* Elimination of ornithogalum mosaic virus from chincherinchee (*Ornithogalum thyrsoides*) by meristem tip culture, and field trials of reinfection
769 *G. Garry, B. Tivoli, M. H. Jeuffroy and J. Citharel.* Effects of Ascochyta blight caused by *Mycosphaerella pinodes* on the translocation of carbohydrates and nitrogenous compounds from the leaf and hull to the seed of dried-pea
778 *W. Jarausch, M. Lansac and F. Dosba.* Long-term maintenance of nonculturable apple proliferation phytoplasmas in their micropropagated natural host plant
787 *B. K. Goyal, P. R. Verma, D. T. Spurr and M. S. Reddy. Albugo candida* staghead formation in *Brassica juncea* in relation to plant age, inoculation sites, and incubation conditions
795 *M. A. Eden, R. A. Hill, R. Beresford and A. Stewart.* The influence of inoculum concentration, relative humidity, and temperature on infection of greenhouse tomatoes by *Botrytis cinerea*
807 Book reviews

NUMBER 5 **OCTOBER**

809 *W. J. Blok and G. J. Bollen.* Interactions of asparagus root tissue with soil microorganisms as a factor in early decline of asparagus
823 *Q. M. R. Haq, B. P. Singh and K. M. Srivastava.* Biological, serological and molecular characterization of a cucumber mosaic virus isolate from India
829 *J. S. Hu, D. M. Sether and D. E. Ullman.* Detection of pineapple closterovirus in pineapple plants and mealybugs using monoclonal antibodies
837 *A. Lavina, J. Aramburu and E. Moriones Alonso.* Occurrence of tomato spotted wilt and cucumber mosaic viruses in field-grown tomato crops and associated weeds of northeastern Spain
843 *W. Q. Hu, Z. Q. Pu, Z. G. Xu and Z. D. Fang.* A viral disease of broad bean caused by a non aphid-transmissible strain of turnip mosaic virus
848 *C. E. Jenner and J. A. Walsh.* Pathotypic variation in turnip mosaic virus with special reference to European isolates
857 *C. Marcone, A. Ragozzino and E. Seemüller.* Association of phytoplasmas with the decline of European hazel in southern Italy
864 *E. Moses, C. Nash, R. N. Strange and J. A. Bailey. Colletotrichum gloeosporoides* as the cause of stem tip dieback of cassava
872 *P. Nicholson and D. W. Parry.* Development and use of a PCR assay to detect *Rhizoctonia cerealis*, the cause of sharp eyespot in wheat
884 *J. A. Walsh, U. Merz and J. G. Harrison.* Serological detection of spore balls of *Spongospora subterranea* and quantification in soil
896 *R. Villa Juan-Abgona, N. Katsuno, K. Kageyama and M. Hyakumachi.* Isolation and identification of hypovirulent *Rhizoctonia* spp. from soil
905 *D. A. Seaby.* Differentiation of *Trichoderma* taxa associated with mushroom production
913 *D. A. Seaby.* Investigation of the epidemiology of green mould of mushroom (*Agaricus bisporus*) compost caused by *Trichoderma harzianum*
924 *X.-M. Xu.* The effects of constant and fluctuating temperatures on the length of the incubation period of apple powdery mildew (*Podosphaera leucotricha*)
933 *J. J. Burdon and T. Elmqvist.* Selective sieves in the epidemiology of *Melampsora lini*
944 *G. E. St J. Hardy, I. J. Colquhoun and P. Neilsen.* The early development of disease caused by *Phytophthora cinnamomi* in *Eucalyptus marginata* and *Eucalyptus calophylla* growing in rehabilitated bauxite mined areas
955 *E. O'Gara, G. E. St J. Hardy and J. A. McComb.* The ability of *Phytophthora cinnamomi* to infect through unwounded periderm tissue of *Eucalyptus marginata*
964 *M. L. V. Resende, R. Mepsted, J. Flood and R. M. Cooper.* Water relations and ethylene production as related to symptom expression in cocoa seedlings infected with defoliating isolates of *Verticillium dahliae*
973 *A. C. Newton and I. M. Young.* Temporary partial breakdown of Mlo-resistance in spring barley by the sudden relief of soil water stress
978 *S. Shishupala, V. U. Kumar, H. Shekar Shetty and S. Umesh-Kumar.* Screening pearl millet cultivars by ELISA for resistance to downy mildew disease
984 *M. Bashir and R. O. Hampton.* Identification of cowpea (*Vigna unguiculata*) cultivars and lines immune to variants of blackeye cowpea mosaic potyvirus
990 *D. van der Gaag and H. D. Frinkling.* Homothallism in *Peronospora viciae* f.sp. *pisi* and the effects of temperature on oospore production
997 *A. Lilja, A. M. Hietala and R. Karjalainen.* Identification of a uninucleate *Rhizoctonia* sp. by pathogenicity, hyphal anastomosis and RAPD analysis
1007 Book reviews

NUMBER 6 **DECEMBER**

1009 *G. S. Hall.* Modern approaches to species concepts in downy mildews
1027 *D. Andrivon.* The origin of *Phytophthora infestans* populations present in Europe in the 1840s: a critical review of historical and scientific evidence
1036 *E. Mwenje & J. P. Ride.* Morphological and biochemical characterization of *Armillaria* isolates from Zimbabwe
1052 *M. Jalaluddin & J. F. Jenkyn.* Effects of wheat crop debris on the sporulation and survival of *Pseudocercosporella herpotrichoides*
1064 *M. J. Soleimani, M. L. Deadman & H. A. McCartney.* Splash dispersal of *Pseudocercosporella herpotrichoides* spores in wheat monocrop and wheat–clover bicrop canopies from simulated rain
1071 *R. B. O'Hara & J. K. M. Brown.* Immigration of the barley mildew pathogen into field plots of barley
1077 *C. X. Hong, B. D. L. Fitt & S. J. Welham.* Effects of wetness period and temperature on development of dark pod spot (*Alternaria brassicae*) on oilseed rape (*Brassica napus*)
1090 *I. Somda, M. Renard & H. Brun.* Morphology, pathogenicity and isozyme variation amongst French isolates of *Leptosphaeria maculans* recovered from *Brassica juncea* cv. Picra

1099 *N. Lisker, Z. Keren-Shacham, P. Sarig, Y. Zutkhi & R. Ben-Arie.* The biology and pathology of the fungus *Rhizopus stolonifer*, cause of black mould disease of table grapes in Israel
1110 *R. Credi & L. Giunchedi.* Grapevine leafroll-associated viruses and grapevine virus A in selected *Vitis vinifera* cultivars in northern Italy
1117 *J. P. Chen, M. J. Adams, F. T. Zhu, Z. Q. Wang, J. Chen, S. Z. Huang & Z. C. Zhang.* Response of foreign barley cultivars to barley yellow mosaic virus at different sites in China
1126 *A. F. Opio, D. J. Allen & J. M. Teri.* Pathogenic variation in *Xanthomonas compestris* pv. *phaseoli*, the causal agent of common bacterial blight in *Phaseolus* beans
1134 *H. El Attari, A. Sarrafi, S. Garrigues, G. Dechamp-Guillaume & G. Barrault.* Diallel analysis of partial resistance to an Iranian strain of bacterial leaf streak (*Xanthomonas campestris* pv. *cerealis*) in wheat
1139 *M. Maes, P. Garbeva & C. Crepel.* Identification and sensitive endophytic detection of the fire blight pathogen *Erwinia amylovora* with 23S ribosomal DNA sequences and the polymerase chain reaction
1150 *K. Xi, J. H. G. Stephens & P. R. Verma.* Application of formulated rhizobacteria against root rot of field pea
1159 Author index